

**AXOR Starck Organic**  
**Thermostatic module 360/120 for concealed installation**  
 Surfaces: **Chrome** Article Number: **12717000**



## Description


### product features

- 3 outlets
- simultaneous use of several outlets
- thermostat cartridge
- min. operating pressure: 1,5 bar
- max. operating pressure: 10 bar
- safety lock at 40° C
- temperature limitation adjustable
- non-return valve
- connection type: basic set
- connection dimension: DN20
- ACS 19 ACC LY 234, valide jusqu'au 05.11.2023
- WRAS 1806015
- WRAS 1806015
- WRAS 1806015
- REG 4 170412
- STA 1401

## Product image



## Scale drawing




**AXOR Starck Organic**  
**Thermostatic module 360/120 for concealed installation**  
 Surfaces: **Chrome**    Article Number: **12717000**



## Exploded Drawing

Year of production: >04/14



**AXOR Starck Organic**  
**Thermostatic module 360/120 for concealed installation**  
 Surfaces: **Chrome**    Article Number: **12717000**



## Spare part list

Year of production: >04/14

Pos.	Description	Article Number	PC	PU
1	escutcheon	95317000	0	1
2	seal	95885000	0	1
3	handle	98333000	0	1
4	safety set	98289000	0	1
5	handle fixing set	98290000	0	1
6	adapter for handle	92293000	0	1
7	O-ring 26x2	98147000	0	1
8	fixing set	96393000	0	1
9	handle for thermostat	98313000	0	1
10	adapter for handle	98321000	0	1
11	sleeve	98320000	0	1
12	O-ring 28x2,5	98209000	0	1
13	thermostat cartridge	96633000	0	1
14	O-ring 48x4	98414000	0	1
15	set of non return valves DW 15	97350000	0	1
16	filter	97973000	0	1
17	extension 25 mm	12790000	0	1
18	extension 25 mm	96370000	0	1