

AXOR Starck

Baton hand shower 2jet

Surfaces: **Polished Red Gold**

Article Number: **28532300**



Description

product features

- spray type adjustment by turning spray disc
- spray type: Rain, MonoRain
- flow rate at 3 bar: 16 l/min
- metal cover
- rinseable dirt filter
- connection thread G ½
- connection dimension: DN15
- suitable for continuous flow water heaters
- suitable for rim-/ tile-mounted mixers
- SVGW 0506-4976
- DVGW NW-6517BR0047
- P-IX 9990/IB
- ACS 14 ACC NY 328, valide jusqu'au 23.10.2019
- WRAS 1805023
- WRAS 1805023
- Kiwa K6053_Showers
- Kiwa K6053_Showers
- Kiwa K6053_Showers
- REG 4 170637

Technology



AXOR Starck

Baton hand shower 2jet

Surfaces: **Polished Red Gold**


Article Number: **28532300**




Product image



Scale drawing



Flowchart




The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

AXOR Starck
Baton hand shower 2jet
 Surfaces: **Polished Red Gold** Article Number: **28532300**



Exploded Drawing

Year of production: >11/16



AXOR Starck
Baton hand shower 2jet
 Surfaces: **Polished Red Gold** Article Number: **28532300**



Spare part list

Year of production: >11/16

| Pos. | Description | Article Number | PC | PU |
|------|---------------------|----------------|----|----|
| 1 | filter packing | 94246000 | 0 | 1 |
| 2 | selector assy | 95511000 | 0 | 1 |
| 3 | spray former | 95411300 | 0 | 1 |
| 4 | O-Ring 14x2,5 | 98189000 | 0 | 1 |
| a | flow-restrictor-set | 92019000 | 0 | 1 |