

AXOR Uno

Single lever bath mixer for concealed installation with loop handle and integrated security combination according to EN1717

Surfaces: **Brushed Nickel** Article Number: **38428820**



Description


product features

- connection type: basic set
- ceramic cartridge
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- temperature limitation adjustable
- with automatic resetting
- with silencer
- suitable for continuous flow water heaters
- with integrated safety combination EN 1717
- PA-IX 18097/IDC
- ACS 18 ACC LY 004, valide jusqu'au 05.01.2023

Product image



Scale drawing




AXOR Uno

Single lever bath mixer for concealed installation with loop handle and integrated security combination according to EN1717

Surfaces: **Brushed Nickel** Article Number: **38428820**



Flowchart



AXOR Uno


Single lever bath mixer for concealed installation with loop handle and integrated security combination according to EN1717

Surfaces: **Brushed Nickel** Article Number: **38428820**



Exploded Drawing

Year of production: >04/17



AXOR Uno

Single lever bath mixer for concealed installation with loop handle and integrated security combination according to EN1717

Surfaces: **Brushed Nickel** Article Number: **38428820**



Spare part list

Year of production: >04/17

Pos.	Description	Article Number	PC	PU
1	handle	93037820	0	1
2	diverter knob	96473820	0	1
3	hollow set screw M4x10	97667000	0	1
4	escutcheon Ø 170 mm	95806820	0	1
5	O-Ring 48x3	95508000	0	1
6	O-ring 29x3	98371000	0	1
7	flange	98684820	0	1
8	O-ring 43x1,5	98148000	0	1
9	sleeve	96448820	0	1
10	sub plate	96447000	0	1
11	set of fixing screws	96454000	0	1
12	nut	98796000	0	1
13	O-ring 30x1,5	98433000	0	1
14	O-ring 39x1,5	98400000	0	1
15	cartridge, assy	92730000	0	1
16	locking screw for handle	95140000	0	1
17	seal	95008000	0	1
18	selector assy	95014000	0	1
19	O-ring 16x2,3	98207000	0	1
20	O-ring 20x2,5	92602000	0	1
21	set of screws	96525000	0	1
22	vacuum breaker	96753000	0	1
23	non return valve	96655000	0	1
24	O-Ring 22x2	98185000	0	1
25	O-ring 19x2	98426000	0	1
26	O-ring 16x2	98133000	0	1
27	noise reduction	94073000	0	1
28	extension 25 mm	13595000	0	1
29	set of fixing screws	97747000	0	1
30	extension 22 mm (Ø 170 mm)	13596820	0	1
31	escutcheon height = 33 mm (when wall is not deep enough).	14961820	0	1
a	concealed item	01800180	0	1