

## AXOR Uno

**Single lever kitchen mixer 250 with swivel spout**

Surfaces: **Chrome**      Article Number: **38830000**



### Description

## product features

- ComfortZone 250°
- swivel range 360°
- handle can be positioned on the right or left
- normal spray
- connection dimension: DN15
- maximum flow rate at 3 bar: 12 l/min
- ceramic cartridge
- connection type: G 3/8 connections
- integrated non-return valve
- suitable for continuous flow water heaters
- SVGW 1712-6707
- P-IX 18187/IO
- GDV 04/00129
- ACS 17 ACC LY 653, valide jusqu'au 20.07.2022
- WRAS 1906094
- KCW-2012-0427\_KM\_WSW
- STA 1375


## Technology



## Product image




### Scale drawing



**AXOR Uno**  
**Single lever kitchen mixer 250 with swivel spout**  
 Surfaces: **Chrome**    Article Number: **38830000**



## Flowchart




**AXOR Uno**  
**Single lever kitchen mixer 250 with swivel spout**  
 Surfaces: **Chrome** Article Number: **38830000**



## Exploded Drawing

Year of production: >10/10



**AXOR Uno**  
**Single lever kitchen mixer 250 with swivel spout**  
 Surfaces: **Chrome**    Article Number: **38830000**



## Spare part list

Year of production: >10/10

Pos.	Description	Article Number	PC	PU
1	handle	38094000	0	1
2	screw cover	96762000	0	1
3	hollow set screw M6x10 DIN 916	96029000	0	1
4	flange	96763000	0	1
5	nut	97209000	0	1
6	O-ring 33x2	98154000	0	1
7	cartridge, assy	92730000	0	1
8	seal	95008000	0	1
9	spout cpl.	97886000	0	1
10	aerator laminar M18x1 (15 l/min)	97884000	0	1
11	lever collar	92849000	0	1
12	O-ring 11x2	98127000	0	1
13	hollow set screw M4x5	98731000	0	1
14	flat seal	98749000	0	1
15	fixation extension 35 mm	13898000	0	1
16	support	97523000	0	1
17	fixing set (Ø 32)	13961000	0	1
18	lever collar	97548000	0	1
19	connection hose 900 mm M8x0,75 G3/8	96316000	0	1
20	O-ring 7x1,5	98422000	0	1
21	sealing set	95581000	0	1