

AXOR One
Thermostatic module for concealed installation for 2 functions
 Surfaces: **Stainless Steel Optic** Article Number: **45712800**



Description

product features

- Eco-Function: flow rate regulation via lever handle
- depending on volume flow and installation situation approx. 50% flow rate reduction
- 2 functions and 1 additional outlet
- simultaneous use of several outlets
- comfortable turning on / off of consumers with large Select-paddle
- flow rate per outlet: 24 l/min
- flow rate by simultaneous use of all outlets: 30 l/min
- thermostat cartridge, Select valve, ceramic valves 90°
- min. operating pressure: 1 bar
- safety lock at 40° C
- temperature limitation adjustable
- the thermostat offers the possibility for thermal disinfection
- non-return valve
- connection type: basic set
- P-IX 29148/IIDD
- ACS 16 ACC NY 372, valide jusqu'au 22.11.2021
- JWWA E-565
- Kiwa K11292_Thermostatic mixers
- STA 1515

Technology



Design awards



reddot award 2016
winner


AXOR One
Thermostatic module for concealed installation for 2 functions
 Surfaces: **Stainless Steel Optic** Article Number: **45712800**




Product image




Scale drawing



Flowchart



Year of production: >11/16



AXOR One
Thermostatic module for concealed installation for 2 functions
 Surfaces: **Stainless Steel Optic** Article Number: **45712800**



Spare part list

Year of production: >11/16

| Pos. | Description | Article Number | PC | PU |
|------|---|----------------|----|----|
| 1 | handle for thermostat | 92600800 | 0 | 1 |
| 2 | handle fixing set | 98932000 | 0 | 1 |
| 3 | O-ring 57x2 | 98210000 | 0 | 1 |
| 4 | escutcheon | 92599800 | 0 | 1 |
| 5 | hexagon socket screw M5x25 | 97664000 | 0 | 1 |
| 6 | control panel | 92612800 | 0 | 1 |
| 7 | set of symbols | 92541830 | 0 | 1 |
| 8 | O-ring 13x2 | 98128000 | 0 | 1 |
| 9 | set of lever collars | 93121000 | 0 | 1 |
| 10 | shut off unit | 98536000 | 0 | 1 |
| 11 | shut off unit | 95758000 | 0 | 1 |
| 12 | nut | 98368000 | 0 | 1 |
| 13 | safety set | 92614000 | 0 | 1 |
| 14 | nut | 98913000 | 0 | 1 |
| 15 | O-ring 26x1,5 | 98390000 | 0 | 1 |
| 16 | thermostat cartridge | 98282000 | 0 | 1 |
| 17 | cartridge for exchanged connections | 92373000 | 0 | 1 |
| 18 | O-ring 21x1,5 | 98219000 | 0 | 1 |
| 19 | O-ring 17x1,5 | 98137000 | 0 | 1 |
| 20 | O-ring 11x2 | 98127000 | 0 | 1 |
| 21 | non return valve (pressure-resistant up to 2 MPa) | 92594000 | 0 | 1 |
| 22 | extension 25 mm | 45790000 | 0 | 1 |
| a | base body | 45710180 | 0 | 1 |